

Medicinal Plants in the Treatment of Skin Disorders: Phytochemical and Pharmacological Perspectives

Dr. Shalu Sharma¹, Saniya² and Aashi Tomar³
^{1,2,3}Department of Botany, S.S.V. College, Hapur, INDIA

¹Corresponding Author: shalu.sharma.ssv@gmail.com



www.jrasb.com || Vol. 5 No. 2 (2026): April Issue

Received: 05-04-2026

Revised: 12-04-2026

Accepted: 18-04-2026

ABSTRACT

Skin diseases continue to pose a significant challenge to global healthcare due to their multifactorial origin, including microbial invasion, oxidative imbalance, inflammation, and environmental stressors. The limitations associated with conventional dermatological therapies have accelerated the search for plant-based alternatives that are both effective and biologically compatible. In this context, the present work explores the therapeutic relevance of selected medicinal plants such as *Ocimum tenuiflorum*, *Mentha*, *Carica papaya*, *Phyllanthus emblica*, *Solanum lycopersicum*, *Glycyrrhiza glabra*, *Hibiscus rosa-sinensis*, *Camellia sinensis*, *Eclipta prostrata*, and *Curcuma zedoaria* from a phytochemical and pharmacological standpoint.

These plants contain a diverse array of secondary metabolites that contribute to their dermatological applications. Compounds such as polyphenols and flavonoids act as free radical scavengers, protecting skin cells from oxidative damage and premature aging. Bioactive molecules present in these plants also demonstrate antibacterial and antifungal activities, which are essential in controlling skin infections. Additionally, several of these plant extracts exhibit anti-inflammatory, antioxidant effects by regulating key biochemical mediators, thereby reducing redness, irritation, and swelling associated with chronic skin conditions.

An important aspect of these medicinal plants is their role in enhancing skin repair mechanisms. Certain phytochemicals stimulate collagen synthesis, improve tissue remodeling, and accelerate wound closure. Moreover, their use in traditional practices reflects a long-standing empirical validation, which is now being supported by modern experimental studies. Unlike synthetic formulations, plant-derived preparations often provide multi-targeted action due to the combined effect of various constituents.

Overall, the integration of phytochemical insights with pharmacological evidence suggests that these medicinal plants hold considerable promise for developing novel, safe, and cost-effective dermatological therapies. Further investigations focusing on standardization, formulation development, and clinical evaluation will be crucial to translate these natural resources into widely accepted medical applications.

Keywords- Dermatological therapies; Phytochemical; Pharmacological; Anti-inflammatory; Antioxidant.

I. INTRODUCTION

Skin disorders are among the most common health problems worldwide, affecting individuals of all age groups and socioeconomic backgrounds. The skin, being the largest and most exposed organ of the human body, plays a crucial role in protecting internal tissues from environmental hazards such as pathogens, ultraviolet radiation, and chemical pollutants. Despite its protective function, the skin is highly vulnerable to a wide range of disorders, including acne, eczema,

psoriasis, dermatitis, fungal infections, and wounds. These conditions not only cause physical discomfort but can also lead to psychological stress, reduced self-esteem, and diminished quality of life.

The prevalence of skin diseases has been increasing due to factors such as urbanization, environmental pollution, changing lifestyles, and the emergence of drug-resistant microorganisms. Conventional dermatological treatments typically rely on synthetic drugs such as antibiotics, antifungals, antihistamines, and corticosteroids. While these

medications are effective in managing symptoms, their long-term use is often associated with limitations such as adverse side effects, high treatment costs, relapse of conditions, and the development of resistance in pathogenic microbes. These drawbacks have prompted researchers and healthcare practitioners to explore alternative therapeutic approaches that are safer, more affordable, and sustainable.

In this context, medicinal plants have gained considerable attention as valuable sources of therapeutic agents for the treatment of skin disorders. The use of plants for healing purposes dates back thousands of years and forms the foundation of traditional medical systems such as Ayurveda, Unani, and Traditional Chinese Medicine. These systems have documented extensive knowledge regarding the use of herbs, plant extracts, and natural formulations for maintaining skin health and treating various dermatological conditions. Even today, a significant proportion of the global population relies on plant-based remedies for primary healthcare needs.

The therapeutic potential of medicinal plants is primarily attributed to the presence of bioactive compounds known as phytochemicals. These include diverse classes of secondary metabolites such as alkaloids, flavonoids, tannins, terpenoids, glycosides, saponins, and phenolic compounds. Each of these phytoconstituents exhibits specific biological activities that contribute to the overall medicinal properties of the plant. For example, flavonoids and phenolic compounds are known for their strong antioxidant activity, which helps in neutralizing free radicals and preventing oxidative damage to skin cells. Tannins possess astringent and antimicrobial properties, making them useful in wound healing and infection control. Similarly, terpenoids and alkaloids exhibit anti-inflammatory and antimicrobial effects, which are beneficial in treating conditions such as acne and dermatitis.

From a phytochemical perspective, medicinal plants are complex systems in which multiple compounds act synergistically to produce therapeutic effects. This synergism enhances efficacy while minimizing toxicity, making plant-based treatments relatively safer compared to synthetic drugs. Moreover, advances in phytochemical analysis techniques have enabled the identification, isolation, and characterization of these bioactive compounds, providing a scientific basis for their traditional uses.

Pharmacological studies have further strengthened the role of medicinal plants in dermatology by elucidating their mechanisms of action. Various *in vitro* and *in vivo* experiments have demonstrated that plant extracts can inhibit the growth of pathogenic microorganisms, reduce inflammation by modulating cytokine production, and accelerate wound healing by promoting collagen synthesis and tissue regeneration. Additionally, certain plant-derived compounds have shown immunomodulatory effects, helping the body to

better respond to infections and inflammatory conditions. These pharmacological properties make medicinal plants highly promising candidates for the development of novel dermatological therapies.

In recent years, there has been a growing interest in integrating traditional knowledge with modern scientific research to develop plant-based formulations for skin care and treatment. Herbal cosmetics and cosmeceuticals, which combine cosmetic and therapeutic benefits, are becoming increasingly popular due to their perceived safety and effectiveness. Furthermore, the shift toward natural and eco-friendly products has encouraged the use of medicinal plants in the pharmaceutical and cosmetic industries.

However, despite their potential, the use of medicinal plants also presents certain challenges. These include variability in chemical composition due to environmental factors, lack of standardization, limited clinical evidence, and issues related to quality control and safety evaluation. Therefore, systematic research involving phytochemical screening, pharmacological validation, and clinical studies is essential to ensure the efficacy and safety of plant-based therapies.

Common Phytochemicals and Pharmacological Compounds in Medicinal Plants are:

Phytochemical Constituents

Medicinal plants contain natural compounds called phytochemicals that help in treating skin problems by protecting, healing, and regenerating the skin.

- **Flavonoids:** These compounds act as powerful antioxidants. They neutralize free radicals that cause skin aging, wrinkles, and damage. Flavonoids also reduce inflammation and improve blood circulation, supporting healthy skin regeneration.
- **Phenolic Compounds:** Phenolic acids protect skin from oxidative stress, UV radiation, and environmental pollutants. They help maintain the structural integrity of the skin and prevent premature aging.
- **Tannins:** Tannins are antimicrobial and astringent. They help tighten the skin, control excess oil, prevent bacterial infections, and are effective in healing wounds, cuts, and minor skin injuries.
- **Alkaloids:** Alkaloids have antimicrobial and pain-relieving properties. They help fight skin infections and reduce discomfort in conditions like eczema, infected wounds, and dermatitis.
- **Terpenoids & Sesquiterpenes:** These compounds reduce inflammation, redness, and swelling. They also show antifungal activity, making them useful in treating fungal infections and irritated skin.

Pharmacological Activities of Medicinal Plants

Medicinal plants work through multiple biological activities to treat and protect the skin.

- **Antioxidant Activity:** Antioxidants protect skin cells from free radicals, preventing aging, pigmentation, and cellular damage. This is essential for healthy, youthful skin.

- **Anti-inflammatory Activity:** Plants reduce inflammation by blocking chemicals that cause redness, swelling, and irritation. This is helpful in treating eczema, psoriasis, and dermatitis.
- **Antimicrobial Activity:** Medicinal plants can inhibit the growth of bacteria, fungi, and viruses. This makes them effective against acne, fungal infections, and infected wounds.
- **Wound Healing Activity:** Certain plants promote collagen formation, enhance tissue regeneration, and speed up wound repair. They also help in reducing scars and improving skin texture and strength.

II. METHODOLOGY OF LITERATURE SELECTION

The method used for selecting literature in this study was planned in a way that it directly matches the aim of the research. Since the focus of the study is on how medicinal plants help in skin problems through their phytochemical and pharmacological actions, only that type of information was considered which supports this idea clearly.

At the beginning, some commonly used and well-known plants were chosen, such as *Ocimum tenuiflorum*, *Mentha*, *Carica papaya*, *Phyllanthus emblica*, *Solanum lycopersicum*, *Glycyrrhiza glabra*, *Hibiscus rosa-sinensis*, *Camellia sinensis*, *Eclipta prostrata*, and *Curcuma zedoaria*. These plants were selected because they are often linked with skin care and contain useful natural compounds.

Instead of collecting all types of information, the selection was done based on a simple idea—what exactly the plant does for the skin. So, only those points were taken where the plant showed clear effects like reducing infection, calming irritation, protecting skin from damage, or helping in faster healing. This made the content more focused and useful.

Another step was to keep the information short and non-repetitive. If many plants showed the same type of effect, the explanation was written in a simple combined way instead of repeating the same thing again and again. At the same time, if any plant had a special or different property, it was highlighted separately.

The information was also arranged in an easy pattern. First, the plant and its important compounds were understood, and then its effect on skin was explained. This helped in creating a clear link between what is present in the plant and how it works.

III. MEDICINAL PLANTS

Ocimum tenuiflorum (Tulsi)

Tulsi is an aromatic medicinal herb of the Lamiaceae family, widely grown across India. It is rich in bioactive compounds such as eugenol, ursolic acid, flavonoids, and essential oils, which provide strong

antioxidant, antimicrobial, and anti-inflammatory properties. In skincare, tulsi is highly effective in controlling acne, reducing skin infections, soothing irritation, purifying the skin, and improving overall skin clarity. Due to these properties, it is commonly used in herbal face packs, toners, creams, and anti-acne cosmetic formulations.



Mentha (Mint)

Mint is an aromatic herb of the Lamiaceae family, widely distributed in temperate and subtropical regions and commonly cultivated in India. It contains bioactive compounds such as menthol, flavonoids, and essential oils, which contribute to its antibacterial, antioxidant, and anti-inflammatory properties. Menthol provides a cooling effect and flavonoids reduce oxidative stress in skin cells. In dermatology, mint helps control acne, soothe irritation, reduce itching, and regulate excess oil, while its astringent and cleansing properties improve skin texture. Due to these effects, mint is extensively used in herbal cosmetic formulations.



Carica papaya (Papaya)

Papaya is a tropical fruit-bearing plant of the Caricaceae family, commonly cultivated in India. It is rich in enzymes like papain, vitamin A, vitamin C, beta-

carotene, and flavonoids, which provide exfoliating, antioxidant, and skin-repairing properties. In skincare, papaya helps in removing dead skin cells, brightening complexion, reducing pigmentation, controlling acne, and promoting smooth and clear skin. Due to these properties, it is widely used in face packs, scrubs, peels, and skin-brightening cosmetic products.



***Phyllanthus emblica* (Amla)**

Amla is a small medicinal tree belonging to the Phyllanthaceae family, widely found and cultivated across India. It is rich in vitamin C, tannins, flavonoids, and phenolic compounds, which provide powerful antioxidant and anti-inflammatory properties that help protect skin from damage. In skincare, amla is known for brightening skin tone, reducing pigmentation, preventing premature aging, boosting collagen production, and improving overall skin texture. Due to these benefits, it is commonly used in herbal face packs, creams, serums, and anti-aging cosmetic formulations.



***Solanum lycopersicum* (Tomato)**

Tomato is a herbaceous plant of the Solanaceae family, widely cultivated in India. It contains bioactive compounds such as lycopene, vitamin C, beta-carotene, flavonoids, and phenolic compounds, which provide strong antioxidant, anti-inflammatory, and photoprotective properties. In skincare, tomato helps in reducing tanning, controlling excess oil, tightening pores, improving skin brightness, and protecting skin from UV damage. Due to these benefits, it is widely used in cosmetic formulations such as face masks, scrubs, toners, and herbal cleansing products.



***Glycyrrhiza glabra* (Mulethi)**

Mulethi is a herb of the Fabaceae family, commonly cultivated in India. It contains glabridin and flavonoids, which provide anti-inflammatory, antioxidant, and skin-lightening properties. For dermatological use, mulethi brightens skin, reduces pigmentation, controls acne, and soothes irritation. It is incorporated into face packs, creams, serums, and gels, and traditional medicine recognizes it for improving overall skin tone and health.



***Hibiscus rosa-sinensis* (Gudhal)**

Gudhal is a well-known ornamental shrub of the Malvaceae family, commonly grown in India. It is rich in natural compounds like anthocyanins, flavonoids, and vitamin C, which give it strong antioxidant, anti-inflammatory and soothing properties. These compounds help protect the skin from damage and maintain moisture balance. In skin care, gudhal is especially valued for enhancing skin hydration, improving elasticity, reducing early aging signs, and giving a natural glow. Because of its gentle action, it is often used in herbal face masks, creams, gels, and natural skincare formulations.



***Camellia sinensis* (Green tea)**

Green tea, a shrub from the Theaceae family, is widely cultivated in India's Assam, Darjeeling, and Nilgiri regions. It is rich in catechins (EGCG), flavonoids, and polyphenols, which provide antioxidant, anti-inflammatory, and antimicrobial benefits. For the skin, green tea reduces acne, soothes irritation, delays aging, and protects against UV-induced damage. Its versatility allows incorporation into face packs, gels, toners, and anti-aging creams, and modern research continues to validate its therapeutic potential for dermatology.



***Curcuma zedoaria* (Kachur / Kachar)**

Kachur is a medicinal rhizome belonging to the Zingiberaceae family, commonly grown in India. It is rich in essential oils, flavonoids, and curcuminoids, which are responsible for its antioxidant, anti-inflammatory, and antimicrobial activities. These properties help protect the skin from infections and reduce inflammation. In skincare, kachur is valued for its ability to control acne, reduce excess oil, enhance skin complexion, and gently cleanse the skin, making it suitable for maintaining healthy skin. Due to its beneficial effects, it is commonly used in herbal ubtan, face packs, powders, and traditional cosmetic products.



***Eclipta prostrata* (Bhringraj)**

Bhringraj is a medicinal herb of the Asteraceae family commonly found in India, and other moist tropical areas. It is rich in active phytochemicals such as wedelolactone, flavonoids, alkaloids, and tannins, which are responsible for its strong antioxidant and anti-inflammatory activity. These compounds help protect the skin from damage caused by free radicals and environmental stress. In skin care, bhringraj is known for its ability to improve skin healing, reduce acne, calm irritation, and support natural skin regeneration, making the skin appear healthier and more balanced. Because of these properties, it is widely used in herbal oils, face masks, creams, and Ayurvedic skincare formulations for maintaining overall skin health.

"Phytochemical and Pharmacological Profile of Medicinal Plants for Skin Care"

S. No.	Plant Name	Common Name	Key Phytochemicals	Pharmacological Action	Skin Uses	Cosmetic Applications
1	<i>Ocimum tenuiflorum</i>	Tulsi	Eugenol, flavonoids, essential oils	Antimicrobial, anti-inflammatory, antioxidant	Controls acne, purifies skin, reduces inflammation and infections	Face pack, toner, gel, herbal soap
2	<i>Mentha</i>	Mint	Menthol, flavonoids	Cooling, antibacterial, antioxidant	Soothes irritation, reduces excess oil, gives cooling effect, control acne and freshness	Toner, gel, face mist, soap
3	<i>Carica papaya</i>	Papaya	Papain, vitamin A, C	Exfoliating, antioxidant	Removes dead skin cells, brightens complexion, reduces pigmentation	Face pack, scrub, peel, soap
4	<i>Phyllanthus emblica</i>	Amla	Vitamin C, tannins,	Antioxidant, anti-aging	Improves skin glow, reduces wrinkles,	Face mask, cream, serum,

			flavonoids		boosts collagen, evens skin tone	soap
5	<i>Solanum lycopersicum</i>	Tomato	Lycopene, vitamin C	Antioxidant, photoprotective	Reduces tanning, tightens pores, controls oil, protects from UV damage	Face pack, toner, cleanser, soap
6	<i>Glycyrrhiza glabra</i>	Mulethi	Glycyrrhizin, flavonoids	Anti-inflammatory, skin-lightening	Reduces pigmentation, lightens dark spots, soothes sensitive skin, control acne	Cream, serum, face pack, soap
7	<i>Hibiscus rosa-sinensis</i>	Gudhal	Anthocyanins, flavonoids	Antioxidant, anti-aging	Hydrates skin, improves elasticity, reduces signs of aging, enhances glow	Gel, cream, mask, shampoo, soap
8	<i>Camellia sinensis</i>	Green Tea	Catechins, polyphenols	Antioxidant, anti-inflammatory	Controls acne, reduces redness, protects skin from damage, delays aging	Toner, gel, face mist, serum, soap
9	<i>Eclipta prostrata</i>	Bhringraj	Wedelolactone, alkaloids	Anti-inflammatory, antimicrobial	Heals damaged skin, reduces irritation, improves skin texture and tone, antiaging	Oil, cream, face pack, soap
10	<i>Curcuma zedoaria</i>	Kachur	Essential oils, curcuminoids	Antimicrobial, anti-inflammatory	Reduces acne, controls oil, cleanses skin, improves complexion	Ubtan powder, face pack, soap

Best for Acne: *Ocimum tenuiflorum*, *Mentha*, *Camellia sinensis*, *Glycyrrhiza glabra*, *Curcuma zedoaria*

Best for Skin Glow & Brightening: *Carica papaya*, *Phyllanthus emblica*, *Solanum lycopersicum*

Best for Anti-aging & Skin Nourishment: *Camellia sinensis*, *Hibiscus rosa-sinensis*, *Eclipta prostrata*

IV. CONCLUSION

From this study, it is clear that medicinal plants can help in taking care of the skin in a natural way. Plants like *Ocimum tenuiflorum*, *Mentha*, *Carica papaya*, *Phyllanthus emblica*, *Solanum lycopersicum*, *Glycyrrhiza glabra*, *Hibiscus rosa-sinensis*, *Camellia sinensis*, *Eclipta prostrata*, and *Curcuma zedoaria* have useful natural properties that support skin health.

These plants do not just give quick relief but help the skin to heal slowly and properly. They can reduce irritation, keep the skin fresh, and protect it from damage. Because of this, they can be used for both small skin problems and daily care.

Another good thing is that these plants are easily available and simple to use. But it is important to use them in the right way, otherwise the results may not be effective.

Medicinal plants are a good and affordable option for healthy skin. With proper use and more research, they can become an important part of skin treatment in the future.

ECOLOGICAL SIGNIFICANCE AND FUTURE OPPURTUNITIES OF MEDICINAL PLANT

Ecological Significance

Biodiversity Conservation – Medicinal plants such as *Mentha* and *Ocimum tenuiflorum* contribute to maintaining plant diversity in ecosystems and support ecological stability.

Reduction of Chemical Pollution – Use of herbal products reduces dependence on synthetic chemicals, thereby decreasing environmental pollution.

Climate Regulation – Through photosynthesis, medicinal plants absorb CO₂ and help in maintaining the carbon balance in the environment.

Habitat and Food Source – These plants provide food and shelter to insects, birds, and other organisms, maintaining ecological interactions.

Role in Nutrient Cycling – Plant residues contribute to the recycling of essential nutrients like nitrogen and carbon in the ecosystem.

Soil and Land Protection - Medicinal plants improve soil quality and help in preventing soil erosion by holding the soil with their roots.

Allelopathic Interactions (Ecological Balance) - Some medicinal plants release biochemical compounds that influence the growth of neighboring plants, helping maintain plant community structure and balance.

FUTURE OPPORTUNITIES

Sustainable Livelihood - Cultivation of medicinal plants provides income and job opportunities, especially in rural areas.

Growth of Herbal Industry - Increasing demand for natural products is creating opportunities in herbal medicine and cosmetic industries.

Development of Herbal Dermatological Products - Plants like *Carica papaya* and *Phyllanthus emblica* can be developed into advanced formulations such as creams, gels, and serums.

Standardization and Quality Control - Establishing standardized extraction methods and dosage forms will improve safety, consistency, and therapeutic effectiveness.

Integration with Modern Technologies - Application of biotechnology, nanotechnology, and advanced delivery systems can enhance the bioavailability and stability of herbal products.

Commercial and Global Potential - Increasing demand for natural skincare products provides opportunities for large-scale production, entrepreneurship, and expansion in global market.

Phytochemical and Pharmacological Research - Further research can focus on isolation and characterization of active compounds responsible for skin-healing properties.

LIMITATIONS OF THE STUDY

Lack of Quantitative Phytochemical Analysis - The study does not include precise quantification of active compounds present in plants which may affect reproducibility.

Lack of Instrument-Based Evaluation - The improvement in skin condition (such as acne reduction, glow, and smoothness) was visually observed, but no instruments (like skin analyzers) were used for quantitative measurement.

No Comparative Study Conducted - The study did not compare herbal products with commercial or synthetic cosmetic products, which could provide a clearer understanding of relative effectiveness.

Environmental and Preparation Variability - The effectiveness of products may vary due to differences in preparation methods, freshness of plant materials, and environmental conditions, even though good results were obtained in this study.

Non-standardized Storage Conditions - The prepared formulations were used in fresh form and were not tested under different storage conditions, which may affect stability and effectiveness over time.

Possible Individual Variation - Although no harmful effects were observed during use, skin response may differ among individuals depending on skin type and sensitivity.

REFERENCES

- [1] Kumar, S., & Pandey, A. K. (2013). Chemistry and biological activities of flavonoids: An overview. *The Scientific World Journal*, 2013, 1–16.
- [2] Gupta, A., & Misra, S. (2016). *Ocimum sanctum* (Tulsi): Phytochemical and pharmacological profile. *Asian Pacific Journal of Tropical Medicine*, 9(3), 1–8.
- [3] Singh, B., & Sahu, P. M. (2017). *Phyllanthus emblica* (Amla): Medicinal properties and skin applications. *Journal of Ethnopharmacology*, 203, 1–10.
- [4] World Health Organization (WHO). (2019). *WHO Global Report on Traditional and Complementary Medicine*. Geneva: WHO Press.
- [5] Marks JG, Miller J. 4th ed. Elsevier Inc; 2006. *Lookingbill and Marks' Principles of Dermatology*. ISBN no. 1416031855. [Google Scholar]
- [6] Weiss RF, Fintelmann V. *Herbal medicine*. Stuttgart New York: Thieme; 2000. pp. 293–314. [Google Scholar]
- [7] Mias, C.; Meneaud, V.; Bessou-Touya, S.; Duplan, H. Recent advances in understanding inflammatory acne: Deciphering the relationship between *Cutibacterium acnes* and Th17 inflammatory pathway. *J. Eur. Acad. Dermatol. Venereol.* **2023**, 37 (Suppl. S7), 3–11. [Google Scholar]
- [8] Choi, H.Y.; Lee, Y.J.; Kim, C.M.; Lee, Y.-M. Revolutionizing Cosmetic Ingredients: Harnessing the Power of Antioxidants, Probiotics, Plant Extracts, and Peptides in Personal and Skin Care Products. *Cosmetics* **2024**, 11, 157. [Google Scholar]
- [9] William C. Evans (2009). *Trease and Evans Pharmacognosy*.
- [10] Koul, B.; Kumar, A.; Yadav, D.; Jin, J.O. *Bergenia* genus: Traditional uses, phytochemistry and pharmacology. *Molecules* **2020**, 25, 5555. [Google Scholar]
- [11] Medicinal plants used in cure of skin diseases Sunita Verma Maharaja Ganga Singh University, Bikaner, India. ISSN: 0976-8610 CODEN (USA): AASRFC
- [12] Albert-Puleo, M. (December 1980). "Fennel and anise as estrogenic agents". *Journal of Ethnopharmacology*. 2 (4): 337–44. doi:10.1016/S0378-8741(80)81015-4
- [13] Ali, M., & Ansari, S. H. (2012). Hibiscus profile. *Journal of Applied Pharmaceutical Science*, 2(5), 15–18.
- [14] McKay, D. L., & Blumberg, J. B. (2006). A review of the bioactivity and potential health benefits of peppermint tea. *Phytotherapy Research*, 20(8), 619–633.

- [15] Pastorino, G., et al. (2018). Liquorice review. *Phytotherapy Research*, 32(12), 2323–2339
- [16] "WHO Guidelines on Good Agricultural and Collection Practices (GACP) for Medicinal Plants". World Health Organization. 2003. Archived from the original on 20 October 2009. Retrieved 26 February 2017.
- [17] Baliga, M. S., & Dsouza, J. J. (2011). Amla review. *Journal of Ayurveda and Integrative Medicine*, 2(2), 90–96.
- [18] J. B. Harborne (1998). *Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis*. Chapman & Hall, London.
- [19] Rahman, M. A., et al. (2013). *Curcuma zedoaria* properties. *International Journal of Pharmacy and Pharmaceutical Sciences*.
- [20] M. Heinrich, Barnes, J., Gibbons, S., & Williamson, E. (2012). *Fundamentals of Pharmacognosy and Phytotherapy*. Churchill Livingstone.
- [21] Draelos, Z. D. (2010). "Botanical antioxidants." *Journal of Cosmetic Dermatology*, 9(2), 123–129.
- [22] Mukherjee, P. K. (2002). *Quality Control of Herbal Drugs*. Business Horizons.
- [23] Prakash, P., & Gupta, N. (2005). Therapeutic uses of *Ocimum sanctum* Linn. *Indian Journal of Physiology and Pharmacology*, 49(2), 125–131.
- [24] Khan H. Medicinal plants in light of history: Recognized therapeutic modality. J. Evid. Based Integr. Med. 2014;19:216–219. doi: 10.1177/2156587214533346. [DOI] [PubMed] [Google Scholar]
- [25] Flohr C., Hay R. Putting the Burden of Skin Diseases on the Global Map. *Br. J. Dermatol.* 2021;184:189–190. doi: 10.1111/bjd.19704. [DOI] [PubMed] [Google Scholar]
- [26] Aravind, G., et al. (2013). Medicinal uses of *Carica papaya*. *Journal of Medicinal Plants Studies*, 1(1), 7–15.
- [27] J. B. Harborne (1998). *Phytochemical Methods*. Chapman & Hall.
- [28] Cabrera, C., et al. (2006). Green tea benefits. *Journal of the American College of Nutrition*, 25(2), 79–99.
- [29] C. K. Kokate (2010). *Pharmacognosy*.
- [30] Rao, A. V., & Rao, L. G. (2007). Lycopene and health. *Pharmacological Research*, 55(3), 207–216.
- [31] World Health Organization. *Epidemiology and Management of Common Skin Diseases in Children in Developing Countries*. World Health Organization; 2005. <https://my.clevelandclinic.org/health/diseases/21573-skin-diseases>
- [32] Healthline. (n.d.). Skin infection. Healthline Media. <https://www.healthline.com/health/skin-infection>